

S5012

PASSIVE SUBWOOFER



DESCRIPTION

The S5012 is a vented, high output, compact subwoofer system where the physically small size and impact of a 12-inch driver is desired, and works equally well for portable or install situations. Extending the frequency response of these systems to below 40Hz this highly efficient design is capable of providing output levels normally associated with considerably larger enclosures. A system suited to background music playback in applications ranging from clubs, bars and cafes, right through to theatres and AV presentations. The low-frequency transducer is a 12" woofer with a 2,5" voice coil. This new woofer design is the result of the latest refinements in RCF experiences in compact active and passive subwoofer design, resulting in a fast and controlled reproduction of the bass frequency range. It is engineered to complement MEDIA series full-range loudspeakers and is particularly well-suited in high-quality multi-media applications.

MAIN APPLICATIONS

- Conference rooms
- Performance Arts Spaces
- Theatres & Auditoria
- Background and Foreground Business Music
- Small scale PA
- Houses of worship
- Theme parks and leisure venues
- Gymnasiums and small/medium sports arenas
- Portable corporate AV
- Bars, pubs and nightclubs

MAIN FEATURES

- High Quality subwoofer
- 1 x 12" woofer, 2,5" voice coil, vented
- 300W AES power handling
- Steel Front Grille with robust double mesh polyester clothing
- All models have a 4-pin EUROBLOCK connector (audio input and parallel link output)

ACOUSTICAL SPECIFICATIONS

Frequency response:	50 Hz ÷ 200 Hz
Max SPL:	127 dB
Sensitivity 1W/1m:	-
Coverage angle:	-
Compression driver:	-
Woofer:	12", 2,5" voice coil
Power handling:	-

PHYSICAL


Cabinet:	Rectangle, 15mm MDF
Dimensions (HxWxD):	14.96"x17.72"x16.53" - 380x450x420 mm
Weight:	18.2 kg (40.01 lbs)
Hardware:	-
Handles:	-
Pole Mount / Cap:	-
Colour:	Black

INPUT SECTION


Input signal (Impedance):	8 Ω
Input connector:	Removable screw terminal block
Output signal connector:	Removable screw terminal block



S5012



S5012



S5012



S5012

1.0-J-F

PART NUMBERS

13041018

DIMENSIONS (All data are in mm)

