






FEATURES

- Modular mount - the possibility of screens configuration
- Tool-less independent 8-point microadjustment provides seamless alignment of the displays
- Open Frame design allows full electrical wiring access and integrated cable management strips make display-to-display cabling simple
- Adjustable VESA mounting patterns from 100x100 up to 600x400




FEATURES PHOTO




Monitor Configuration	Product	Screen size	Max. capacity	Max. VESA	Weight	Dimensions (HxWxD)
	VWCA2247-L	42"-47"	130 kg	min. 100x100 mm max. 600x400 mm	70 kg	2200x1960x370 mm
	VWCA2257-L	50"-57"	125 kg	min. 100x100 mm max. 600x400 mm	75 kg	2200x2220x370 mm
	VWCA3247-L	42"-47"	200 kg	min. 100x100 mm max. 600x400 mm	100 kg	2200x2930x370 mm
	VWCA3257-L	50"-57"	195 kg	min. 100x100 mm max. 600x400 mm	105 kg	2200x3320x370 mm
	VWCA3347-L	42"-47"	120 kg	min. 100x100 mm max. 600x400 mm	180 kg	2600x2930x370 mm
	VWCA3357-L	50"-57"	125 kg	min. 100x100 mm max. 600x400 mm	175 kg	2600x3320x370 mm
	VWCA2347-L	42"-47"	90 kg	min. 100x100 mm max. 600x400 mm	110 kg	2600x1960x370 mm
	VWCA2357-L	50"-57"	95 kg	min. 100x100 mm max. 600x400 mm	105 kg	2600x2220x370 mm


VWCA2247-L




VWCA2257-L




VWCA3247-L




VWCA3257-L




VWCA3347-L



VWCA3357-L



VWCA2347-L



VWCA2357-L

